

Child's Name

U. S. House of Representatives "A Capitol Experience" Summer Enrichment Program

REGISTRATION FORM

Please complete and return this form, accompanied by applicable fees (check or money order payable to U.S. Treasury) to: U.S. House of Representatives Child Care Center, Room 1100, O'Neill HOB, 200 St. SW, Washington, DC 20515.

All information is confidential.

	Child	d's Information		
Child's Name	N	lickname	Sex:	M F
Age Date of Birt	:h Er	ntering Grade	in September 2023	
Address		City	State	Zip
Child's City and State of Birth:			Child is a U.S. Citizer	n YN
	Parent/G	uardian Informatio		
Parent/Guardian Name		Parent/Gu	uardian Name	
Address		Address		
City State	Zip	City	State	Zip_
Home Phone		Home Phon	ne	
Daytime Phone	Cell Phone		one Cell	
Email		Email		
Place of Employment		Place of Em	iployment	
Office Name		Office Name	e	
	Emergenc	y Contact Informa	ition	
Name		Name		
Relationship to Child		Relationship t	to Child	
Home Phone		Home Phone		
Daytime Phone	Cell Phone	Daytime Phor	ne Cell	Phone

U. S. House of Representatives "A Capitol Experience" Summer Enrichment Program

REGISTRATION FORM

Please register my child for the following session (held Monc	day through Friday 9am-4pm)
Session 1: July 8 to July 19	
Session 2: July 22 to August 2	
——————————————————————————————————————	ering multiple children will receive 15% off their total fee. Payment in completed Capitol Experience Summer Enrichment Enrollment
Return, along with the applicable fees (check or money order U.S. House of Representatives Child Care Center Room 1100, O'Neill HOB 200 C St. SW Washington, DC 20515	er payable to U.S. Treasury), to:
Upon acceptance of your application and payment, you Checks will not be deposited until there is confirmation	will receive confirmation and additional program materials. of available space for Session(s) chosen.
 I understand my child will not be able to attend until a Experience Summer Enrichment Program, document year. 	a completed health certificate form is received by the Capitol ing up to date immunizations and a physical exam within the last
	ichment Program is an activity based program where participants cipating in activities at other facilities and utilizing various modes
	on form is physically and mentally prepared to participate in ring any needed accommodations, special conditions or concerns
 I understand that I will assume full responsibility for a House of Representatives, its staff and its Directors of receive medical treatment in case of a medical emerg 	fall liability. I give my permission for my child to
 I agree to instruct my child to observe the rules and re Program. 	egulations governing the activities of the Summer Enrichment
Program to take and use photographs, videos, and ot which include but are not limited to: projects & display	wise, I authorize the The Capitol Experience Summer Enrichment ther presentations of my child and/or their work for purposes ays, parent communication, distribution to all participants (in e, promote, or demonstrate the functions, daily activities, ticipants and its staff.
	vithdraw a participant when in his/her judgment the participant's iful, impact the smooth functioning of the group or activity, or ummer enrichment program.
Parent/Guardian Signature	Date
Parent/Guardian Signature	Date

Child's Name



Use of Images

Child's Name

								
The Capitol Experience Summer Enrichment Program is designed to provide an enriching educational experience for all participants. Children will experience a wide variety of quality educational, motivational, and recreational activities in a safe, healthy, and fun atmosphere.								
may be used in a variety of ways who communication, and for distribution items may include the children's nar	other presentations of participants individually and in groups nich include but are not limited to: projects & displays, parent a to all participants (in print and/or electronically); these mes and/or ages, and may be visible to others not enrolled in will not be used for purposes outside of The Capitol ogram.							
	arichment Program may also use these images for purposes rate the functions, daily activities, explorations, special ants and its staff.							
	pitol Experience Summer Enrichment Program to take and presentations of my child and/or their work for the purposes							
- -	The Capitol Experience Summer Enrichment Program to and other presentations of my child and/or their work for the							
Parent/Guardian Signature	Date							
Parent/Guardian Signature	Date							
Child's Name:								



Authorized Child Pickup Form

It is strongly recommended that you have an alternative for pick up if circumstances prevent you from picking up your child.

Child's Name:	

PARENT/GUARDIAN CONSENT FORM FOR EMERGENCY MEDICAL TREATMENT (To be completed for each Summer Enrichment attendee)

U.S. HOUSE OF REPRESENTATIVES CHILD CARE CENTER SUMMER ENRICHMENT PROGRAM Room 1100, O'Neill House Office Building Washington, DC 20515 (202) 225-6100

CHILD'S NAME (First, Middle & Last)	-
HOME ADDRESS	
DATE OF BIRTH	
PARENT/GUARDIAN NAME	
RELATIONSHIP TO CHILD	
PHONE (WORK)	
(HOME)	
(CELL)	
EMAIL	
PARENT/GUARDIAN NAME	
RELATIONSHIP TO CHILD	
PHONE (WORK)	
(HOME)	
(CELL)	
EMAIL	
PEDIATRICIAN	
PHONE	
ADDRESS	
DENTIST (family or child)	
PHONE	
FRIEND/NEIGHBOR	
PHONE	
OTHER	
PHONE	
ALLERGIES (food, medications, insect bites, skin irritants, etc.)	
ONGOING MEDICATIONS	
ANY NOTABLE CONDITIONS	

PARENT/GUARDIAN CONSENT FORM FOR EMERGENCY MEDICAL TREATMENT (To be completed for each Summer Enrichment attendee)

In the event I cannot be reached, I hereby authorize the U.S. House of Representatives Child Care Center Summer Enrichment Program to transport or arrange transportation for my child to the emergency room at Children's Hospital, or the nearest hospital. I hereby grant my consent for the hospital and its medical staff to provide my child with emergency medical treatment which a physician deems necessary (including anesthesia). I agree to accept financial responsibility for all medical expenses incurred.

ANESTHESIA, SEDATION AND ANALGESIA: I consent to the administration of anesthesia or sedation, if applicable. I understand that complications of anesthesia or deep sedation are rare, but may include cardiac arrest (heart stoppage), brain damage, or death. Complications of moderate sedation include nausea, agitation, and allergic reactions to the medicine. Also, if the child becomes deeply sedated, there can be difficulty breathing and loss of oxygen to the brain. If you have any questions concerning the administration of anesthesia, sedation and analgesia please contact your family doctor.

BLOOD AND BLOOD PRODUCTS: I understand that blood or blood products will be given if needed. I understand that the risks are rare but include fever, chills, rash, itching, back pain, kidney problems, shortness of breath and hepatitis. The risk of other diseases such as HIV/AIDS and death is very low.

CONSENT: I have read, been informed, and understand the above and any attached information. I consent to any procedures or treatments that may be required in an emergency situation and to the use of anesthesia/sedation or blood/blood products if required. This consent lasts for the duration of the continuous course of treatment, with the exception of surgical informed consent.

If you have any questions, please contact the Office of the Attending Physician at 225-5421.
HEALTH INSURANCE PROVIDER
INSURANCE I.D. NUMBER

PARENT/GUARDIAN CONSENT FORM FOR EMERGENCY MEDICAL TREATMENT (To be completed for each Summer Enrichment attendee)

PARENT/GUARDIAN	DATE		PARENT/GUARDIAN	DATE
STATE OF))	SS	
The foregoing Consent was ac	eknowledged before m		day	
and				
			Notary Public	
My commission expires				



Use this form to report your child's physical health to their school/child care facility. This is required by DC Official Code §38-602. Have a licensed medical professional complete part 2 - 4. Access health insurance programs at https://dchealthlink.com. You may contact the Health Suite Personnel through the main office at your child's school.

Part 1: Child Perso	nal Informa	ation To	be comp	leted by pa	rent/guard	lian.						
Child Last Name:				Child First N	lame:				Dat	e of Birth:		
School or Child Care Faci	lity Name:						Gender:	☐ Male	. 	Female	☐ No	on-Binary
Home Address:				Apt:	City:			:	State:		ZIP:	
Ethnicity: (check all that app	y) 🔲 Hisp	anic/Latino	☐ No	n-Hispanic/N	Ion-Latino			Other		Prefer n	not to an	swer
Race: (check all that apply)		erican Indian, ka Native	/ 🔲 Asia	an 🗆	Native Ha		n/	Black/Africa American	ın 🗆	White		Prefer not to answer
Parent/Guardian Name:						Parei	nt/Guardi	an Phone:				
Emergency Contact Nam	ie:					Emer	gency Co	ntact Phone:				
Insurance Type: 🔲 N	Лedicaid 🔲	Private	☐ None	Insuran	ce Name/ID	#:						
Has the child seen a den	tist/dental pro	vider within	the last ye	ear?	Yes		☐ No					
I give permission to the si appropriate DC Governm from civil liability for acts understand that this form Parent/Guardian Signatu	ent agency. In a or omissions un should be con	addition, I he Inder DC Law	ereby acknow 17-107, ex	owledge and xcept for crin	agree that ninal acts, i	the Di ntentiony y year.	strict, the onal wron	school, its en	nploye	es and ager	nts shall	be immune
Part 2: Child's Hea	lth History,	Exam, ar	nd Recor	mmendat	i ons To	be co	ompleted	by licensed	l healt	h care pro	vider.	
Date of Health Exam:	BP:	,	NML ABNL	Weight:	□ LI		Height:] _{IN} B	MI:	BM Per	centile:
Vision Screening: Left eye: 20/	Rigl	ht eye: 20/		Corre Uncor	cted rrected			Wears glasse	es 🔲	Referred		Not tested
Hearing Screening: (check	all that apply)			Pass	☐ Fail			Not tested		Uses Devi	ce 🔲	Referred
Does the child have any of the following health concerns? (check all that apply and provide details below) Asthma												
TB Assessment Posit	ive TST should b			re Physician f	for evaluatio	n. For				2-698-4040).	
What is the child's risk l		Skin Test D	la [Quan	tiferon Test				
		Skin Test R	•	Negative	Pos	itive, C	XR Negativ	e L Pos	itive, CX	R Positive	Po	ositive, Treated
Low	test	Quantifero Results:	n [☐ Negative	Pos	itive		Pos	itive, Tre	eated		
Additional notes on TB test:												
Lead Exposure Risk Screening All lead levels must be reported to DC Childhood Lead Poisoning Prevention. Call 202-654-6002 or fax 202-535-2607.												
ONLY FOR CHILDREN UNDER AGE 6 YEARS	1 st Test Date:		st Result:	Normal	Abno	ormal,	creening D			1 st Ser	um/Fing ead Lev	ger
Every child must have 2 lead tests by age 2	2 nd Test Date:	: 2	nd Result:	Normal		ormal, ental S	creening D	ate:			rum/Fin .ead Lev	-
HGB/HCT Test Date:				HG	B/HCT Resi	ult:						

Part 3: Immunization Information To be completed by licensed health care provider.								
Child Last Name:	Child First Name:				Date of Birth:			
Immunizations	In the boxes b	In the boxes below, provide the dates of immunization (MM/DD/YY)						
Diphtheria, Tetanus, Pertussis (DTP, DTaP)	1	2	3	4	5			
DT (<7 yrs.)/ Td (>7 yrs.)	1	2	3	4	5			
Tdap Booster	1							
Haemophilus influenza Type b (Hib)	1	2	3	4				
Hepatitis B (HepB)	1	2	3	4				
Polio (IPV, OPV)	1	2	3	4				
Measles, Mumps, Rubella (MMR)	1	2						
Measles	1	2						
Mumps	1	2						
Rubella	1	2						
Varicella	1		Child had Chick Verified by:	en Pox (month &	& year):	(name	e & title)	
Pneumococcal Conjugate	1	2	3	4				
Hepatitis A (HepA) (Born on or after 01/01/2005)	1	2						
Meningococcal Vaccine	1	2						
Human Papillomavirus (HPV)	1	2	3					
Influenza (Recommended)	1	2	3	4	5	6	7	
Rotavirus (Recommended)		2	3					
Other	1	2	3	4	5	6	7	
The child is behind on immunizations ar	nd there is a pla	n in place to get	him/her back o	n schedule. Nex	t appointment i	s:		
Medical Exemption (if applicable) I certify that the above child has a valid medic	al contraindicat	ion(s) to being i	mmunized at th	e time against:				
Diphtheria Tetanus Per			He		Polio	□ ме	asles	
☐ Mumps ☐ Rubella ☐ Var	icella	Pneumococcal	□ не	epA 🔲	Meningococca	и □ нр\	V	
Is this medical contraindication pe			Permanent	· 👝	orary until:		(date)	
Alternative Proof of Immunity (if applicable)		· / -	remanent	- remp	orary until		(ddtc)	
I certify that the above child has laboratory ev	vidence of immu	unity to the follo	wing and I've at	tached a copy o	f the titer results	S.		
Diphtheria Diphtheria Der	tussis	Hib	□ не	ерВ 🔲	Polio	☐ Me	asles	
☐ Mumps ☐ Rubella ☐ Var	ricella	Pneumococcal	□ не	ерА	Meningococca	и □ нр\	V	
Part 4: Licensed Health Practition	er's Certifica	ations To b	e completed b	y licensed heal	th care provid	er.		
This child has been appropriately examined and health history reviewed and recorded in accordance with the items specified on this form. At the time of the exam, this child is in satisfactory health to participate in all school, camp, or child care activities except as								
noted on page one. This child is cleared for competitive sports								
This child is cleared for competitive sports. N/A No Yes Yes, pending additional clearance from:								
I hereby certify that I examined this child and the information recorded here was determined as a result of the examination.								
Licensed Health Care Provider Office Stamp Provider Name:								
	Provi	Provider Phone:						
	Provi	der Signature:				Date:		
OFFICE USE ONLY Universal Healt	h Cer <u>tificate</u> re	eceived b <u>y Sch</u>	ool O <u>fficial an</u>	d Hea <u>lth Suite</u>	Personnel.			
School Official Name:			ature:			Date:		
Health Suite Personnel Name:			ature:			Date:		



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN

Name:	D.O.B.:	PLACE PICTURE HERE					
Weight: lbs. Asthma:							
NOTE: Do not depend on antihistamines or inhalers (bronchodilato	is) to treat a severe reaction. USE EFINEFIRE	INC.					
Extremely reactive to the following allergens: THEREFORE:							
☐ If checked, give epinephrine immediately if the allergen was LIKELY earl ☐ If checked, give epinephrine immediately if the allergen was DEFINITEL		t.					
FOR ANY OF THE FOLLOWING: SEVERE SYMPTOMS	MILD SYMPTOI	MS _					
	NOSE MOUTH SKIN	GUT					
LUNG HEART THROAT MOUTH Shortness of Pale or bluish Tight or hoarse Significant breath, wheezing, skin, faintness, throat, trouble swelling of the repetitive cough weak pulse, breathing or tongue or lips	Itchy or Itchy mouth A few hives runny nose, mild itch sneezing						
dizziness swallowing	FOR MILD SYMPTOMS FROM MOR SYSTEM AREA, GIVE EPINEP						
SKIN SKIN GUT OTHER Many hives over Repetitive Feeling from different body, widespread vomiting, severe anxiety, confusion 1. INJECT EPINEPHRINE IMMEDIATELY.	FOR MILD SYMPTOMS FROM A SIN AREA, FOLLOW THE DIRECTION 1. Antihistamines may be given, if order healthcare provider. 2. Stay with the person; alert emergen 3. Watch closely for changes. If symptogive epinephrine.	S BELOW: ered by a cy contacts.					
2. Call 911. Tell emergency dispatcher the person is having anaphylaxis and may need epinephrine when emergency responders arrive.	MEDICATIONS/DO Epinephrine Brand or Generic:						
Consider giving additional medications following epinephrine: Antihistamine Inhaler (bronchodilator) if wheezing	Epinephrine Dose: 0.1 mg IM 0.15 mg						
Lay the person flat, raise legs and keep warm. If breathing is	Antihistamine Brand or Generic:						
 difficult or they are vomiting, let them sit up or lie on their side. If symptoms do not improve, or symptoms return, more doses of epinephrine can be given about 5 minutes or more after the last dose. 	Antihistamine Dose:						
Alert emergency contacts.	Other (e.g., inhaler-bronchodilator if wheezing): _						
Transport patient to ER, even if symptoms resolve. Patient should remain in ER for at least 4 hours because symptoms may return.							



FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


HOW TO USE AUVI-Q® (EPINEPHRINE INJECTION, USP), KALEO

- 1. Remove Auvi-Q from the outer case. Pull off red safety guard.
- 2. Place black end of Auvi-Q against the middle of the outer thigh.
- 3. Press firmly until you hear a click and hiss sound, and hold in place for 2 seconds.
- 4. Call 911 and get emergency medical help right away.



HOW TO USE EPIPEN®, EPIPEN JR® (EPINEPHRINE) AUTO-INJECTOR AND EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF EPIPEN®), USP AUTO-INJECTOR, MYLAN AUTO-INJECTOR, MYLAN

- 1. Remove the EpiPen® or EpiPen Jr® Auto-Injector from the clear carrier tube.
- Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, remove the blue safety release by pulling straight up.
- Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 4. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.



HOW TO USE IMPAX EPINEPHRINE INJECTION (AUTHORIZED GENERIC OF ADRENACLICK®), USP AUTO-INJECTOR, AMNEAL PHARMACEUTICALS

- Remove epinephrine auto-injector from its protective carrying case.
- 2. Pull off both blue end caps: you will now see a red tip. Grasp the auto-injector in your fist with the red tip pointing downward.
- 3. Put the red tip against the middle of the outer thigh at a 90-degree angle, perpendicular to the thigh. Press down hard and hold firmly against the thigh for approximately 10 seconds.
- 4. Remove and massage the area for 10 seconds. Call 911 and get emergency medical help right away.

HOW TO USE TEVA'S GENERIC EPIPEN® (EPINEPHRINE INJECTION, USP) AUTO-INJECTOR, TEVA PHARMACEUTICAL INDUSTRIES

- 1. Quickly twist the yellow or green cap off of the auto-injector in the direction of the "twist arrow" to remove it.
- 2. Grasp the auto-injector in your fist with the orange tip (needle end) pointing downward. With your other hand, pull off the blue safety release.
- Place the orange tip against the middle of the outer thigh at a right angle to the thigh.
- 4. Swing and push the auto-injector firmly into the middle of the outer thigh until it 'clicks'. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- 5. Remove and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.

5

HOW TO USE SYMJEPI™ (EPINEPHRINE INJECTION, USP)

- 1. When ready to inject, pull off cap to expose needle. Do not put finger on top of the device.
- 2. Hold SYMJEPI by finger grips only and slowly insert the needle into the thigh. SYMJEPI can be injected through clothing if necessary.
- 3. After needle is in thigh, push the plunger all the way down until it clicks and hold for 2 seconds.
- 4. Remove the syringe and massage the injection area for 10 seconds. Call 911 and get emergency medical help right away.
- 5. Once the injection has been administered, using one hand with fingers behind the needle slide safety guard over needle.

V.

ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- 3. Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can worsen quickly.

EMERGENCY CONTACTS — CALL 911		OTHER EMERGENCY CONTACTS				
RESCUE SQUAD:		NAME/RELATIONSHIP:	_ PHONE:			
DOCTOR:	PHONE:	NAME/RELATIONSHIP:	PHONE:			
PARENT/GUARDIAN:	PHONE:	NAME/RELATIONSHIP:	_ PHONE:			

ASTHMA ACTION PLAN

This form expires 1 year after submission

			,				
Last, First, Name	Dat	e of Birth	Date		GREEN means Go! Use CONTROL medicine daily		
Health Care Provider		vider's Phone	'		YELLOW means Caution! Add RESCUE medicine		
Emergency Contact	Pare	ent's Phone	School		RED means EMERGENCY!		
Additional Emergency Contact	Con	tact Phone	Last Four Digits of SSN		rs work better with spacers. e with a mask when prescribed.		
Asthma Triggers Identified (Thing	gs that make your a	sthma worse):			Date of last medical appointment:		
Circle what applies							
Colds	Smoke (tobacco,	incense)	Pollen				
Animals	Strong odors		Mold/moisture				
Dust	Pests (rodents, c	ockroaches)	Stress/emotions				
Gastroesophageal reflux	Exercise		Seasons: Fall, Winte	r, Spring, Summer			
Other:							
Green Zone: Doing w	ell-continu	e control m	nedicines DAIL	.Y			
You have ALL of these:		۸۱	waya ringa mauth aftar ugi	ng your daily inhalad ma	dicine. Inhalers work better with spacers		
	_,		,	ng your daily illinated the	dicine. Inflaters work better with spacers		
Breathing is easy	• '	No control medicines					
No cough or wheeze		Inhaled corticosteroi	id or inhaled corticosteroid/long-acting	g β-agonist	puff(s) (MDI)times a day		
• Can work and play	-		Inhaled corticosteroid	······································	_ nebulizer treatment(s) times a day		
Can sleep all night							
Peak flow in this area:to_ (More than 80% of Personal Best)	= F	or asthma with exe			_ puff(s) (MDI) 15 minutes before exercise		
Personal best peak flow:		F	Fast-acting inhaled β-agonist				
		or nasal/environme	ental allergy, ADD:				
Yellow Zone: Caution	! –Continu	e CONTRO	L Medicines ar	nd ADD RESC	GUE Medicines		
When you have ANY of these:							
				, puff(s) MDI v	with spacer every hours as needed		
• First sign of a cold		Fa	ast-acting inhaled β-agonist	OR			
Cough or mild wheeze Tight sheet	_			nehulizer tre	eatment(s) every hours as needed		
Tight chest Problems sleeping, working, or playing	<u> </u>	Fa	ast-acting inhaled β-agonist		nouse de nocaca		
Exposure to known trigger.	_	Other					
Exposure to known trigger.	*	**Do not leave child	alone, and if the child sho	uld feel better within 20-	60 minutes of the quick-relief treatment. If		
Peak flow in this area:to_ (50%- 80% of Personal Best)	tr	ne child is getting wo		e for more than 24 hours e health care provider rid	s, THEN follow the instructions in the RED		
(60% 60% 611 Greenlan 2001)		OR if y		, ,	urs as needed for 1-2 days.		
Red Zone: EMERGEN	ICY! – Con	tinue CONT	TROL & RESCU	JE Medicines	and <u>GET HELP!</u>		
When you have ANY of these:							
01-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		E-	ast-acting inhaled β-agonist	_ puff(s) MDI with space	r every <u>15 minutes</u> , for <u>THREE</u> treatments		
Can't talk, eat, or walk well Medicine is not beloing.		Fe	act acting initiation p agottist	OR			
Medicine is not helping Breathing hard and fast				nebulizer treatment	every <u>15 minutes</u> , for T <u>HREE</u> treatments		
Blue lips and fingernails		Fa	ast-acting inhaled β-agonist	- Buriday - 69 - 53	the two two enter		
Tired or lethargic		D41	Gall your Healthcare	e Provider while giving	tne treatments.		
• Ribs show	= 0	Other					
Luns silom		IF YOU CANNOT CONTACT YOUR HEALTHCARE PROVIDER: Call 911 for an ambulance or go directly to the Emergency Department!					
Peak flow in this area:to_ (Less than 50% of Personal Best)		Gall 911 fo	or an ampulance or	go airectly to the	Emergency Department!		
(





ASTHMA ACTION PLAN

This form expires after 1 year

REQUIRED Healthcare Provider Signature:	SCHOOL MEDICATION CONSENT AND PROVIDER ORDER FOR CHILDREN/YOUTH: Possible side effects of rescue medicines (e.g., albuterol) include tachycardia, tremor, and nervousness.
Date:	Healthcare Provider Initials:
REQUIRED Parent/Guardian Signature:	This student is not approved to self-medicate. This student is capable and approved to self-administer the medicine(s) named above.
Date:	As the PARENT/GUARDIAN:
Follow up with primary care provider in 1 week or:	 I hereby authorize a trained school employee, if available, to administer medication to the student. I hereby authorize the student to possess and self-administer medication.
	■ I hereby acknowledge that the District and its schools, employees and agents shall be immune from civil liability for acts or omissions under D.C. Law 17-107 except for criminal acts, intentional wrongdoing, gross negligence, or willful misconduct.
Health Care Provider Stamp below:	





Stepwise Approach for Managing Asthma in Children and Adults (from 2007 NAEPP Guidelines)

						•		·
Criteria apply to all ages unless otherwise indicated	Daytime Symptoms	Nighttime Awakenings		Awakenings with normal activity		FEV1 % predicted (n/a in age <5)	Exacerbations requiring oral systemic corticosteroids	
	of Asthma SEVERITY: 1 ty and interval since last				CONTROL THEF	RAPY		Step
Severe Persistent	Throughout the day	>1x/week	Often 7x/week	Extremely limited	Several x/ day	<60%	<5: ≥2 in 6 months OR ≥4 wheezing episodes in 1 year lasting >1	<5: Step 3 5-11: Step 3 Medium-dose ICS option or Step 4 12-adult: Step 4 or 5 All ages: Consider short course OCS
Moderate Persistent	Daily	3-4x/ month	>1x/week but not nightly	Some	Daily	60-80%	day AND risk factors for persistent asthma	<5: Step 3 5-11: Step 3 Medium-dose ICS option or Step 4 12-adult: Step 4 or 5 All ages: Consider short course OCS
Mild Persistent	>2 days/week but not daily	1-2x/ month	3-4x/month	Minor	>2 days/ week but not daily	>80%	5-adult: ≥2/year	Step 2
Intermittent	≤2 days/week	0	≤2x/month	None	≤2 days/week	>80%	0-1/year	Step 1

Classification of Asthma CONTROL: TO DETERMINE ADJUSTMENTS TO CURRENT CONTROL MEDICATIONS Consider severity and interval since last exacerbation and possible medication side effects when assessing risk. <12 years 12-adult							Action: In children <5, consider alternate diagnosis or adjusting therapy if no benefit seen in 4-6 weeks.	
Very Poorly Controlled	Throughout the day	≥2x/week	≥4x/week	Extremely limited	Several times/day	<60%	<5: >3/year 5-adult: ≥2/year	Step up 1-2 steps. Consider short course OCS. Reevaluate in 2 weeks. For side effects, consider alternate treatment.
Not Well Controlled	>2 days/week	≥2x/ month	1-3x/week	Some	>2 days/week	60-80%	<5: 2-3/year 5-adult: ≥2/year	Step up at least 1 step. Reevaluate in 2-6 weeks. For side effects, consider alternate treatment.
Well Controlled	≤2 days/week	≤1x/month	≤2x/month	None	≤2 days/week	>80%	0-1/year	Maintain current treatment. Follow-up every 1-6 months. Consider step down if well controlled for at least 3 months.

Daily Doses of common inhaled	Fluticasone		Budesonide		Beclomethasone			Fluticasone/ Salmeterol	Budesonide/ Formoterol		
corticosteroids	MDI (mcg)			Respules (mcg)			MDI (mcg)			DPI	MDI
corticosteroias	Low	Medium	High	Low	Medium	High	Low	Medium	High		
<5 years	176	>176-352	>352	0.25-0.5	>0.5-1	>1	n/a	n/a	n/a	n/a	n/a
5-11 years	88-176	>176-352	>352	.5	1	2	80-160	>160-320	>320	100/50 mcg 1 inhalation BID	80 mcg/4.5 mcg 2 puffs BID
12 years-adult	88-264	>264-440	>440	n/a	n/a	n/a	80-240	>240-480	>480	Dose depends on patient	Dose depends on patient

Step 6 Abbreviations: SABA: Short-acting beta-agonist LABA: Long-acting beta-agonist LTRA: Leukotriene-receptor antagonist ICS: Inhaled corticosteroids Step 3 Step 4 Step 5 **Preferred** <5: HD-ICS plus either LD-ICS: Low-dose ICS MD-ICS: Medium-dose ICS HD-ICS: High-dose ICS OCS: Oral corticosteroids **Preferred Preferred Preferred** LABA or MLK plus OCS <5: MD-ICS <5: Medium-dose ICS <5: HD-ICS plus either plus either LABA or MLK LABA or MLK 5-11: HD-ICS plus LABA CRM: Cromolyn 5-11: EITHER LD-ICS plus OCS NCM: Nedocromil THE: Theophylline MLK: Montelukast Step 2 plus LABA, LTRA or THE 5-11: HD-ICS plus LABA 5-adult: MD-ICS plus OR MD-ICS 12-adult: HD-ICS plus LABA ALT: Alternative **Preferred** 12-adult: High-dose ICS LABA plus OCS AND LD-ICS 12-adult: LD-ICS plus plus LABA AND consider consider Omalizumab **Alternative** LABA OR MD-ICS 5-11: MD-ICS plus either Omalizumab for patients for patients who have <u>Alternative</u> LTRA or THE who have allergies allergies Step 1 <5: CRM or MLK <u>Alternative</u> 12-adult: LD-ICS plus 12-adult: MD-ICS plus <u>Alternative</u> <u>Alternative</u> 5-adult: CRM, either LTRA, THE or either LTRA, THE or 5-11: HD-ICS plus either 5-11: HD-ICS plus either **Preferred** LTRA, NCM, or THE LTRA or THE LTRA or THE plus OCS Step down if possible (asthma well-controlled at least 3 months)/Step up if needed (check adherence, technique, environment, co-morbidities)



DOB: _____

Child's Name _____

The staff of the Summer Enrichment Program will administe container and labeled with the child's first and last name; ar original container with proper pharmacy labeling.	r over the counter (OTC) medication ONLY if it is in the original and will administer prescribed medication ONLY if it is in the
	iber and parent/guardian before any medication can be given. updated annually or as needed for medication or dose changes.
Because of possible adverse reactions, the first dose of any	medication must be given by the parent/guardian.
Directions to staff of the Summer Enrichment Program for	medication administration:
To be filled out by Prescriber	
Medication Name: (required)	
Dose: (required)	
Time/Frequency to give medication: (required)	
Route: (required)	
Reason medication is needed at HRCCC: (required)	
Date to start medication: (required) / /	Stop date: / /
Child allergies: (required)	
Current child weight: (required)	
Known side effects of medication:	
Plan of management of side effects:	
Precautions or restrictions:	
Additional instructions:	
Physician/Prescriber Signature Date	Phone number
To be filled out by Parent/Guardian	
above. I also give permission for the nurse or staff member	r Enrichment Program to administer the medication as directed to contact the prescribing health professional above about the ministered the first dose to my child and have not observed any
Name of Parent/Guardian	Signature of Parent/Guardian Date

Updated 3/20/19 Page 1 of 1

EMERGENCY CONTACT INFORMATION SUMMER ENRICHMENT EMERGENCY EVENTS

Child's/Children's Name(s)					
Parent/Guardian 1	FOR OFFICE USE ONLY				
Last Name	Last Name				
First name	First name				
Employer	Employer				

The HRCCC/SE Program uses the **House Alert** messaging system to notify families of Center emergency response actions (drill or actual). Employees of the House of Representatives, Senate, Architect of the Congress, and U.S. Capitol Police have access to the emergency notification system through their employer and should update their contact information through their employer's alert system. For House employees, this can be done at https://alert.house.gov/.

House Alert system notifications are sent in a "blast" configuration, meaning notifications to all devices are sent at the same time. **Please only include devices on which you wish to receive notifications.**

During a scheduled drill, the House Alert system will send notifications to electronic devices including computers connected to the House network*, mobile devices (via text message and/or a downloadable application*), and email.

During an emergency event, the House Alert system will send emergency notifications to electronic devices including computers connected to the House network*, mobile devices (via voice, text message and/or a downloadable application*), email, and landline phones.

*Capitol Hill employees only (House, Senate, AOC, LOC, USCP)

House Alert text messages will be sent from 28462 and 24639. If you receive voice calls, the system will contact you from 855-284-6248. Please store these numbers in your mobile phone as "Capitol Hill Alerts" for easy identification.

As a reminder, our ability to contact you is based upon your supplying current contact information. If at any time you move, change offices, or get a new phone number, it is your responsibility to notify summerenrichment@mail.house.gov by e-mail and complete an updated copy of this form.

12/11/23 Page 1 of 2

EMERGENCY CONTACT INFORMATION SUMMER ENRICHMENT EMERGENCY EVENTS

Child's/Children's Name(s)

-	rent duplicate notifications, the contact information below should include only that of individuals who employees of the of the House of Representatives, Senate, Architect of the Capitol, Library of
	ss, and U.S. Capitol Police.
	otifications will be sent during scheduled drills and emergency events. Please list up to 3 email ses to which you wish to receive notifications:
1	
	xt notifications will be sent during scheduled drills and emergency events. Please list up to 3 cellular to which you wish to receive text notifications:
1.	
2.	
3.	
device	otifications will be sent during emergency events only. Please list up to 4 phone numbers (specify type work, cell, or home) to which you wish to receive voice notifications. Please note that there is a um of 3 numbers for each device type.
1.	Device Type
2.	Device Type
3.	Device Type
4.	Device Type

12/11/23 Page 2 of 2